17 November 1958

THERAUM FOR: Inspector General

THE STREET

Functioning of the CRITIC Leparting System

- l. As Chairman of the Critical Communications Committee which developed the CRITIC Reporting System, I have become quite concerned that the CRITIC System is not carrying all of the critical intelligence being reported to Cashington. In fact, the CRITIC System has been used very little in the past six weeks.
- 2. The Critical Communications Committee has discussed this problem at length, and feels that the CRITIC System is basically sound. It feels, however, that additional measures should be taken to brief field reporting personnel concerning the system. As one of the measures to improve this system, each agency agreed to ask its field inspectors to inquire into and clarify the functioning of the system during the course of vicits to the field. I would appreciate it, therefore, if the members of your staff would add this matter to their check list when visiting field stations.
- 3. I would be glad to discuss this matter in greater detail, with you and the members of your staff who are planning to make inspection trips, if such additional discussions would be helpful.

Assistant to the ND/I (Planning)

The state of the s	
cci FI/DD/P	STAT
Distribution: Orig. & 1 - Addressee	
1 - FI/DD/P 1 - DD/I chrono 2 - WAT file	STAT
O/DD/I:WATidwell:bb (17 Nov 58)	
THIS DOCUMENTS TO A SOULSE TO A SOULSE TO A SOULSE TO A SOULS	
DO HOT DECERNA	